

**NOTICE OF PUBLIC HEARING**

**BEFORE THE HEARING BOARD OF THE  
NORTH COAST UNIFIED AIR QUALITY MANAGEMENT DISTRICT**

**PUBLIC NOTICE IS HEREBY GIVEN**, that the Hearing Board of the North Coast Unified Air Quality Management District has scheduled a public hearing at 6:30 p.m., on February 5, 2010, at the City of Eureka Council Chambers 531 K St., Eureka, CA, to consider the following:

A request for a public hearing to contest the issuance of a North Coast Unified Air Quality Management District's Amended ATC-PSD permit # 443-1, PG&E Humboldt Bay Generation Station, 1000 King Salmon Ave., Eureka, CA.

The permit appeal and request for a hearing was filed pursuant to Health & Safety Code of the State of California (H&SC) section 42302.1 et seq., by Robert Sarvey and Rob Simpson.


The Public Hearing shall be conducted in accordance with the provisions of Division 26, part 3, Chapter 8, Article 4, section 40800 et seq., of the H&SC, and District Regulation VI, Hearing Board and Variance Procedures.

The District shall accept written or verbal comments regarding the proposed Public Hearing. All written comments may be submitted to the Clerk of the Hearing Board. The Petition is available for public inspection at the North Coast Unified Air Quality Management District Office, 2300 Myrtle Ave., Eureka, CA, 95501, (707) 443-3093 and on the District website [www.ncuqmd.org](http://www.ncuqmd.org).

Heather Emke  
Clerk of the Hearing Board

This notice was published in the Times-Standard newspaper on 1/23/10.

Attest:

  
\_\_\_\_\_  
Heather Emke: Clerk of the Board