

**NOTICE OF PUBLIC HEARING**

**BEFORE THE HEARING BOARD OF THE  
NORTH COAST UNIFIED AIR QUALITY MANAGEMENT DISTRICT**

**PUBLIC NOTICE IS HEREBY GIVEN**, that the Hearing Board of the North Coast Unified Air Quality Management District has continued a public hearing on the following matter at 6:30 p.m., on March 4, 2010, at the City of Eureka Council Chambers 531 K St., Eureka, CA.

A request for a public hearing to contest the issuance of a North Coast Unified Air Quality Management District's Amended ATC-PSD permit # 443-1, PG&E Humboldt Bay Generation Station, 1000 King Salmon Ave., Eureka, CA.

The permit appeal and request for a hearing was filed pursuant to the Health & Safety Code of the State of California section 42302.1, by Robert Sarvey and Rob Simpson. A public hearing on this permit appeal was first held on February 5, 2010, at 6:30 pm in the City of Eureka Council Chambers 531 K St., Eureka, CA.

The Public Hearing shall be conducted in accordance with the provisions of Division 26, part 3, Chapter 8, Article 4, section 40800 et seq., of the H&SC, and District Regulation VI, Hearing Board and Variance Procedures.

Written comments may be submitted to the Clerk of the Hearing Board. The Appeal, written responses and other documents received by the Hearing Board on or before February 19, 2010 are available for public inspection at the North Coast Unified Air Quality Management District Office, 2300 Myrtle Ave., Eureka, CA, 95501, (707) 443-3093 and on the District website [www.ncuagmd.org](http://www.ncuagmd.org). Written comments received after the publication of this notice shall be made available for public inspection and placed on the District's website as they are received.

Dated: February 11, 2010  
Heather Emke  
Clerk of the Hearing Board