

# AIR TOXICS “HOT SPOTS” INFORMATION & ASSESSMENT ACT

## 2025 Annual Report



NORTH COAST UNIFIED  
AIR QUALITY MANAGEMENT DISTRICT

October 31, 2025

## INTRODUCTION

The Air Toxics “*Hot Spots*” *Information and Assessment Act of 1987* (AB 2588) is a State of California *right-to-know* law requiring local air quality management districts to collect information about the location, type, and quantity of toxic compounds emitted into the atmosphere from individual facilities. The intent of AB 2588 is to identify *hot spot* areas where concentrations of air toxics result in elevated risk of adverse health effects. When the potential for significant impacts is identified, facility operators are required to notify the public. The North Coast Unified Air Quality Management District (District) has prepared this annual report of emissions in compliance with California Health and Safety Code Sections 44300-44394. This report contains emissions data from sources within the jurisdiction of Humboldt, Del Norte, and Trinity Counties.

## BACKGROUND

The District is a regional environmental regulatory agency whose primary responsibility is controlling air pollution from portable and stationary sources of pollution. The District accomplishes its mission through public education and outreach, planning, enforcement of local rules and regulations, air quality permits, and the promotion of clean air programs. The District works closely with the California Air Resources Board (CARB) and the U.S. Environmental Protection Agency (U. S. EPA).

For regulatory purposes, air contaminants are grouped into two categories: criteria pollutants and toxic pollutants. At any given time, the air we breathe is contaminated with varying levels of these two pollutant types. Both the CARB and U.S. EPA have established health-protective ambient air quality standards for the six criteria pollutants: carbon monoxide, nitrogen oxides, sulfur oxides, hydrocarbons, particulate matter 10 microns in size and smaller, and particulate matter 2.5 microns and smaller. The CARB refers to airborne toxic pollutants as *toxic air contaminants* and regulates them under Airborne Toxic Control Measures (ATCMs). In a similar fashion, U.S. EPA refers to airborne toxic pollutants as *hazardous air pollutants* or HAPs and regulates them through National Emission Standards for Hazardous Air Pollutants (NESHAPs). The District enforces NESHAPs and ATCMs via its portable and stationary source permitting program and local rules and regulations.

The District’s implementation of the AB 2588 Hot Spots Program began in 1989 with the District Governing Board’s adoption of policies and procedures for emission data collection and analysis in accordance with the *AB 2588 Air Toxics “Hot Spots” Emission Inventory Criteria and Guidelines Regulation* (EICG). The EICG specifies that any facility which manufactures, formulates, uses, or releases any *listed substance* shall be subject to reporting obligations based on the quantity of criteria pollutants emitted. Shortly after adoption, the District began collecting inventory information and prioritizing the first 15 facilities. In early 1993, the District Governing Board defined the health risk assessment preparation threshold, and later that year, the District released its first annual report of emissions. By 2000, a health risk assessment had been performed on all high-priority facilities. Since that time, the District has collected inventory information from facilities subject to the regulation at four-year intervals.

## FACILITIES

The *AB 2588 Air Toxics “Hot Spots” Emission Inventory Criteria and Guidelines Regulation* (EICG) provides direction to facilities on how to compile and submit air toxics emission data. Under the EICG, all stationary sources and non-vehicular portable sources that emit one or more of the substances listed in Appendix A of the regulation are grouped into one of three categories based on their emissions of nitrogen oxides (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), particulate matter 10 microns and smaller (PM<sub>10</sub>), and volatile organic compounds (VOCs). A facility is subject to the reporting under the EICG if:

- The facility emits more than 10 tons of any one of the listed criteria pollutants, or
- The facility belongs to a Class listed in Appendix E of the EICG, or
- The facility emits less than 10 tons of any one of the listed criteria pollutants and does not belong to a Class listed in Appendix E, but does belong to a Class determined by the District to pose a concern to public health.

Facilities emitting more than 10 tons of criteria pollutants are referred to as *core facilities*. Examples of core facilities found in the District include sawmills, electrical power plants, facilities with industrial boilers, and hot mix asphalt plants. Facilities emitting less than 10 tons that belong to one or more industrial classes listed in Appendix E of the regulation are referred to as *industrywide sources*. Industrywide source types found in the District include autobody shops, crematories, dry cleaners, metal plating and fabrication, gasoline dispensing facilities, and solvent and degreasers. The District presently has 29 core facilities and 88 industrywide sources. Appendix A to this report lists the facilities within the District that are subject to reporting requirements.

## ANNUAL REPORT

The HSC §44363 requires that each air district prepare and publish a report on an annual basis that does all of the following:

- Describes the priorities and categories designated pursuant to HSC §44360 and summarizes the results and progress of the health risk assessment program undertaken pursuant to this part.
- Ranks and identifies facilities according to the degree of the cancer risk posed both to individuals and to the exposed population.
- Identifies facilities that expose individuals or populations to any non-cancer health risks.
- Describes the status of the development of control measures to reduce the emission of toxic air contaminants, if any.

To fully comply with HSC §44363, the District must disseminate the annual report to county boards of supervisors, city councils, and local health officers. Further, the District must hold one or more public hearings to present the report and discuss its content and significance.

## AB2588 REVIEW PROCESS

Facilities determined by the District to be subject to the “Hot Spots” Act are required to identify the types of toxic air pollutants that are emitted from the facility. During the first step of the process, the facility owner is required to prepare an emission inventory plan and submit it to the District for review. Once approved by the District, the facility owner implements the plan and prepares a report of its findings. An examination of the emission inventory data contained within the report is then conducted pursuant to the most recent version of the *Air Toxics Hot Spots Program Facility Prioritization Guidelines* (Guidelines). The Guidelines, prepared by the California Air Pollution Control Officers Association (CAPCOA), consider the potency, toxicity, quantity of emissions, and proximity to sensitive receptors such as hospitals, daycare centers, worksites, and residences. The procedures within the Guidelines are used to develop a prioritization score for cancer, acute, and chronic health effects. The value of the highest health effect category score determines the placement of the facility into one of three categories: *high priority*, *intermediate priority*, or *low priority*.

## RANKING OF FACILITIES BY CANCER RISK


*Cancer risk* is the likelihood that a person will develop cancer. For purposes of the “Hot Spots” program, the risk is expressed in terms of a person’s increased chance of developing cancer over a lifetime of exposure to a specific substance or to a contaminated site. An additional risk below one chance in a million ( $1 \times 10^6$ ) is typically not regarded as a public health concern. On the other hand, an *excess cancer risk* greater than 100 in a million ( $1 \times 10^4$ ) is generally not acceptable. A cancer risk score is calculated for every facility that emits a *listed substance* with a known carcinogenic effect. If multiple substances are emitted by the facility, the cancer effect for each is calculated individually. The sum of the individual risk values represents the total facility cancer risk.

## RANKING OF FACILITIES BY NONCANCER RISK

In addition to cancer, airborne toxins cause other types of adverse health effects. Adverse health effects as a result of short-term exposure to an airborne toxin are called *acute effects*. Effects from exposure over longer periods are called *chronic effects*. A non-cancer risk score, or hazard quotient, is calculated for every facility that emits a listed substance with a known non-cancer health effect. If there are exposures to multiple chemicals, the hazard quotient is summed to calculate the hazard index.

## PRIORITY STUDY

The prioritization process is designed to produce a conservative or health-protective estimate of emission impact. Because of the conservative nature of the process, a facility categorized as *low priority* is recognized as having de minimis level health impacts and is therefore exempted from further requirements when the prioritization score is less than one (1). A facility categorized as *intermediate priority* is estimated to have a less than significant impact, however the potential for elevated levels exists, and as such, is subject to continued tracking and reporting requirements at four-year intervals. A source designated as *high priority* must complete a Health Risk Assessment (HRA).



The prioritization action thresholds for the District are shown in Table 1. The most recent prioritization scores for individual facilities are listed in Appendix A.


**Table 1 - Prioritization Categories**

Health Effect	Facility Cancer Score	Category
Cancer Risk, Acute & Chronic	Score > 50	High Priority
	10 < Score ≤ 50	Intermediate Priority
	Score ≤ 10	Low Priority*

\*: Score less than 1 are exempt.

## HEALTH RISK ASSESSMENT

The HRA review process is a comprehensive evaluation of the facility impacts accounting for actual atmospheric conditions at the site location. Scores for the Maximum Point of Impact (PMI), Maximally Exposed Individual Resident (MEIR), Maximally Exposed Individual Worker (MEIW), Acute Hazard Index (Acute HI), and Chronic Hazard Index (Chronic HI) are calculated to demonstrate the risk. HRAs generally result in a much lower risk score when compared to the initial prioritization score. Similar to the prioritization process, a facility categorized as *low priority* is recognized as having de minimis level health impacts and is therefore exempted from further requirements. A facility categorized as *intermediate priority* is estimated to have a less than significant impact, however the potential for elevated levels exists, and as such, is subject to continued tracking and reporting requirements at four-year intervals. A source designated as *high priority* must notify all individuals (households) within the affected area where elevated risk levels exist.



The Health Risk Assessment action thresholds for the District are shown in Table 2. Appendix A of this report lists the HRA results for each facility required to prepare one.

**Table 2 – HRA Action Thresholds**

Cancer Score	Acute or Chronic Score	Category
Score >10	Score > 1	High Priority
1 < Score <10	-	Intermediate Priority
Score <1	Score < 1	Low Priority

## DEVELOPMENT OF CONTROL MEASURES

The District implements a stationary and portable source permitting program where authorization to emit air contaminants must be obtained prior to discharge into the atmosphere. District source permits are not issued unless the source can demonstrate the ability to operate in compliance with District, State, and federal laws, rules, and regulations. Both the CARB and the US EPA have adopted regulations to limit the emissions of Toxic Air Contaminants (TACs) and Hazardous Air Pollutants (HAPs). These regulations are referred to as Airborne Toxic Control Measures (ATCMs) and National Emission Standards for Hazardous Air Pollutants (NESHAPs) respectively. The District has identified facilities within its jurisdiction that are subject to the following regulations. District permits are granted conditioned upon continuous compliance.

### Airborne Toxic Control Measures

- Benzene ATCM for Retail (Gasoline) Service Stations
- ATCM for Emissions of Perchloroethylene from Dry Cleaning Operations
- Residential Open Burning ATCM
- ATCM for Stationary Compression Ignition Engines
- Diesel Particulate from Portable Engines Rated at 50 Horsepower and Greater

### National Emission Standards for Hazardous Air Pollutants (40 CFR 61)

- Asbestos, Subpart M
- Benzene Transfer Operations, Subpart BB
- Ethylene Oxide Emission Standards for Sterilization Facilities, Subpart O
- Gasoline Dispensing Facilities, Subpart CCCCCC
- Gasoline Distribution (Stage 1), Subpart R
- Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities, Subpart BBBBBB
- Industrial, Commercial and Institutional Boilers and Process Heaters (major sources), Subpart DDDDD
- Industrial, Commercial and Institutional Boilers (area sources), Subpart JJJJJ
- Oil and Natural Gas Production includes Area Sources, Subpart HH
- Reciprocating Internal Combustion Engines (RICE). Subpart ZZZZ

### Regulatory Updates

To better understand the sources of emissions that may contribute to adverse health risks or other impacts at the local, regional, and statewide level, the CARB developed the *Regulation for the Reporting of Criteria Air Pollutants and Toxic Air Contaminants* (CTR). The data collected under the CTR supports the implementation of AB 617, AB 197, and AB 2588. The passage of the CTR coincided with revisions to the EICG, including:

- Incorporation of the most recent versions of the Office of Environmental Health and Hazard Assessment (OEHHA) Risk Assessment Guidelines and the most recent CAPCOA Facility Prioritization Guidelines.
- Expansion of the reporting of building height and other parameters related to building downwash effects.
- Update of Diesel Engine risk screening tables.

- Update of the list of reportable substances to include new/modified chemicals of concern.
- Addition of three types of chemical functional groups.
- Established a phase-in schedule for the reporting of newly added chemicals.
- Update of the list of chemicals associated with specific industry sectors and broad overarching processes.
- Addition of new source testing requirements for waste management facilities.
- Update of the classes/sectors and reporting thresholds to add facility types posing potential public health concerns.
- Established a sector phase-in schedule consistent with the CTR regulation.

The amendments to the CTR became effective January 1, 2022 and the updates to the EICG on March 21, 2022. The amendments established a phased-in compliance schedule for facilities as well as districts. The North Coast AQMD is recognized as a Group B district with compliance obligations as follows:

<b>Effective Initial Emission Data Qualification Year for New Sources</b>		
Existing Group	ChemSet-1	ChemSet-2
2024	2024	2028

Key milestones of the District’s implementation plan are as follows:

- Winter of 2025: District Staff will make updates to emission inventory forms as necessary to ensure the capture of the requisite information necessary for the facilities to fully comply with the reporting requirements.
- Winter 2025: Based on existing inventory information, District staff will identify core facilities that require updated emission inventory plans
- Spring of 2026: Calendar Year 2024 facility activity information will be uploaded into CEDAIRS, and CARB’s emission inventory reporting database.
- April 2026: District Staff will develop prioritization scores for diesel engines
- August 2026: District Staff will prioritize additional core facilities
- October 2026: District Staff will release the 2026 Annual Report

Program Accomplishments in 2025

- Populated HARP “Release” tables for all facilities utilizing facility location and EPA default stack parameters
- Entered HARP location data in the form of Latitude and Longitude information for all facilities
- Assigned a release point to each HARP process for all facilities
- Ongoing QA/QC of legacy data
- Updated facility name data for changes of ownership
- Received throughput information for a gasoline dispensing facility and issued a prioritization score.
- Updated process data for two internal combustion engines located at a hospital and issued a prioritization score.
- Updated receptor location distance for an internal combustion engine and issued a revised prioritization score.

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

### Core Facilities

Company Name	FACID	Facility Name	Update Category	Cancer Score	Acute Score	Chronic Score	Source Type	Status
Eureka Ready Mix Concrete Co., Inc.	599	Alton Facility (Agg)	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIP Required
Alves Inc.	979	Alves main office	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIR Under Review
Blue Lake Power, LLC	97	Blue Lake Power Company	In Progress	In Progress	In Progress	In Progress	Electricity Generation	CLOSED
Chevron USA, Inc.	91	Chevron Eureka Terminal	Intermediate	26.85	0.27	0.68	Bulk Fuel Terminal	To CTR Schedule
Mercer Fraser Company	88	Cooks Valley or Dinsmore (Agg)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Mercer Fraser Company	9	Dinsmore Plant (HMA)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Eureka Ready Mix Concrete Co., Inc.	1013	ERM - Leland Rock Gravel Yard	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIP Due
Mercer Fraser Company	857	Essex Yard	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIP Required
DG Fairhaven Power, LLC	96	Fairhaven Power Company	In Progress	In Progress	In Progress	In Progress	Electricity Generation	SHUTDOWN
Mercer Fraser Company	87	Fortuna Plant A - South (HMA)	Intermediate	29.49	11.57	0.25	Asphalt Concrete	To CTR Schedule
Mercer Fraser Company	749	Fortuna Plant B - North (HMA)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Eureka Ready Mix Concrete Co., Inc.	600	Glendale Facility (Agg)	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIR Under Review
Humboldt Redwood Company, LLC	61	HRC remote site	In Progress	In Progress	In Progress	In Progress	Aggregate	CLOSED
Joseph Hufford Sand & Gravel	604	Hufford Sand & Gravel agg & quarry site	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIR Under Review
Pacific Gas & Electric Company	59	Humboldt Bay Generating Station	In Progress	In Progress	In Progress	In Progress	Electricity Generation	TEIP Required
Crystal Creamery, Inc	533	Humboldt Creamery	Intermediate	18.32	0.96	0.46	Boiler	To CTR Schedule
Kernen Construction Company	737	Kernen Facility (HMA)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Eagle Rock, Inc	610	LaGrange Pit (HMA)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
California Dept. of Corrections	605	Pelican Bay State Prison	In Progress	In Progress	In Progress	In Progress	Boiler	TEIP Required
St. Joseph Health Northern California, LLC	566	Providence Redwood Memorial Hospital	In Progress	In Progress	In Progress	In Progress	Boiler	TEIP Required
County of Humboldt - Public Works	602	PW - Fleet Services	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIR Under Review
Randall Sand & Gravel	699	Randall aggregate plant & quarry	In Progress	In Progress	In Progress	In Progress	Aggregate	TEIR Under Review

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

River Valley Aggregates	793	River Valley Aggregates	Intermediate	29.82	0.00	0.03	Asphalt Concrete	To CTR Schedule
Royal Gold, LLC	472	Royal Gold - Glendale Facility	Intermediate	39.19	0.00	0.06	Composting/Soil	To CTR Schedule
Schmidbauer Lumber Company, Inc	95	Schmidbauer Lumber Company Mill	In Progress	In Progress	In Progress	In Progress	Wood Sawing and Milling	TEIP Required
Humboldt Sawmill Company	60	Scotia Mill	In Progress	In Progress	In Progress	In Progress	Wood Sawing and Milling	TEIP Required
Thomas R. Bess - Asphalt, Sand & Gravel	606	Thomas Bess agg/HMA plant site	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Tidewater Contractors, Inc.	13	Tidewater - Crescent City facility (HMA)	In Progress	In Progress	In Progress	In Progress	Asphalt Concrete	TEIP Required
Mercer Fraser Company	81	Willow Creek Plant (HMA)	Intermediate	5.21	17.35	0.04	Asphalt Concrete	To CTR Schedule

### Cremation Facilities

Company Name	FACID	Facility Name	Update Category	Cancer Score	Acute Score	Chronic Score	Source Type	Status
All Creatures Hospital	724	All Creatures Animal Hospital	Intermediate	2.20	0.28	0.03	Incinerator: Crematory	To CTR Schedule
Ayres Family Cremation, Inc.	422	Ayres Cremation Facility	Intermediate	11.35	0.00	1.39	Incinerator: Crematory	To CTR Schedule
Eureka Pet Cremation	690	Eureka Pet Cremation	In Progress	In Progress	In Progress	In Progress	Incinerator: Crematory	TEIP Required
Ocean View Cemetery	556	Ocean View Cemetery	In Progress	In Progress	In Progress	In Progress	Incinerator: Crematory	TEIR Due
Janus Advisor, Inc.	731	Trinity Alps Funeral Home	Intermediate	2.06	0.00	0.25	Incinerator: Crematory	To CTR Schedule
Swiderski Mortuary, Inc.	587	Wiers Mortuary Chapel	Intermediate	5.03	0.00	0.62	Incinerator: Crematory	To CTR Schedule

### Gasoline Dispensing Facilities

Company Name	FACID	Facility Name	Update Category	Cancer Score	Acute Score	Chronic Score	Source Type	Status
Big Oil & Tire	654	Arcata 76	Low	0.46	0.49	0.01	GDF Retail	Exempt
John Toste	622	Arcata Petro Mart Gas-4-Less	Low	0.45	0.49	0.01	GDF Retail	Exempt
Big Oil & Tire	674	Arcata Union Town 76	Intermediate	5.91	0.00	0.01	GDF Retail	To CTR Schedule
Redwood Petroleum Inc.	657	Blue Lake Patriot	Low	0.27	0.49	0.01	GDF Retail	Exempt
Big Oil & Tire	626	Broadway Gas & Deli	Low	0.40	0.31	0.01	GDF Retail	Exempt

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Big Oil & Tire	673	Central 76	Low	0.25	0.49	0.01	GDF Retail	Exempt
Jagdeep Randhawa	681	Chevron TOPS Mini Mart	Low	0.65	0.89	0.02	GDF Retail	Exempt
Zachary Bowman	766	Cooks Valley Patriot & Renner Cardlock	Low	0.78	0.49	0.02	GDF Retail	Exempt
Costco Wholesale	799	Costco Gas Station #125	Intermediate	3.96	0.48	0.10	GDF Retail	To CTR Schedule
Jackson Food Stores, Inc.	735	Redwood Market #275	Low	0.49	0.31	0.01	GDF Retail	Exempt
Cross Petroleum	759	Cross Petroleum - Weaverville CFN	Low	0.35	0.93	0.01	GDF Retail	Exempt
Dinsmore Investments, LLC	494	Dinsmore Store	Low	0.13	0.31	0.00	GDF Retail	Exempt
Jackson Food Stores, Inc.	790	Redwood Market #280	Intermediate	1.41	0.49	0.04	GDF Retail	To CTR Schedule
Bhullar Markets, Inc.	775	Fairway Market (Patriot)	Low	0.43	0.93	0.01	GDF Retail	Exempt
Surinder Singh Heer	642	Fairway Plus (Patriot)	Low	0.71	0.49	0.02	GDF Retail	Exempt
Redwood Petroleum Inc.	761	Fort Dick Market	Low	0.27	0.49	0.01	GDF Retail	Exempt
Double S Investments, LLC	632	Freedom Fuel	Low	0.13	0.49	0.00	GDF Retail	Exempt
Big Oil & Tire	678	Freeway 76	Low	0.81	0.49	0.02	GDF Retail	Exempt
Frontier Fuel & Propane	705	Frontier Fuel	Intermediate	1.75	0.93	0.04	GDF Retail	To CTR Schedule
Ahmad Corporation	750	Garberville 76 (Speedex #2)	Low	0.59	0.49	0.02	GDF Retail	Exempt
Redwood Oil Company	629	Garberville Chevron	Intermediate	1.05	0.93	0.03	GDF Retail	To CTR Schedule
Balwinder Heer / HBJ	636	Gas & Go	Low	0.50	0.49	0.01	GDF Retail	Exempt
Great Gas Eureka	712	Great Gas Eureka	Intermediate	1.25	0.49	0.03	GDF Retail	To CTR Schedule
W.N. Tetrault Co., Inc.	648	Henderson Center Patriot	Intermediate	1.16	0.49	0.03	GDF Retail	To CTR Schedule
Hiouchi Hamlet	742	Hiouchi Hamlet (Chevron)	Intermediate	1.02	0.49	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	621	HASCO Stations #5003	Low	0.63	0.49	0.02	GDF Retail	Exempt
Hasco Stations, LLC.	684	HASCO Stations #8006	Low	0.29	0.31	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	619	HASCO Stations #8011	Low	0.48	0.49	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	664	HASCO Stations #8015	Intermediate	1.27	0.49	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	665	HASCO Stations #8016	Intermediate	1.60	0.49	0.04	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	666	HASCO Stations #5004	Low	0.70	0.49	0.02	GDF Retail	Exempt
Hasco Stations, LLC.	667	HASCO Stations #8017	Intermediate	1.10	0.49	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	628	HASCO Stations #8013	Intermediate	1.60	0.49	0.04	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	618	HASCO Stations #8010	Intermediate	1.54	0.93	0.04	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	680	HASCO Stations #5002	Intermediate	1.77	0.49	0.05	GDF Retail	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Hasco Stations, LLC.	733	HASCO Stations #8014	Intermediate	1.25	0.49	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	668	HASCO Stations #8008	Low	0.23	0.31	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	637	HASCO Stations #5001	Intermediate	1.02	0.93	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	751	HASCO Stations #8004	Intermediate	1.38	0.49	0.04	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	768	HASCO Stations #8001	Intermediate	1.08	0.49	0.03	GDF Retail	To CTR Schedule
Hasco Stations, LLC.	617	HASCO Stations #8009	Low	0.80	0.49	0.02	GDF Retail	Exempt
Hasco Stations, LLC.	652	HASCO Stations #8005	Low	0.22	0.31	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	623	HASCO Stations #8012	Low	0.57	0.49	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	653	HASCO Stations #8002	Low	0.62	0.49	0.02	GDF Retail	Exempt
Big Oil & Tire	654	Arcata 76	Low	0.46	0.49	0.01	GDF Retail	Exempt
Hasco Stations, LLC.	662	HASCO Stations #8007	Intermediate	1.16	0.49	0.03	GDF Retail	To CTR Schedule
Rachelle O'Brien	798	Indianola Market	Low	0.86	0.93	0.02	GDF Retail	Exempt
Leslie Miyamoto	675	Lewiston Mini Mart (76)	Low	0.20	0.49	0.01	GDF Retail	Exempt
Big Oil & Tire	655	McKinleyville 76 Mini Mart	Low	0.60	0.49	0.02	GDF Retail	Exempt
L & M Renner, Inc.	791	McKinleyville Cardlock	Low	0.60	0.33	0.02	GDF Retail	Exempt
Redwood Oil Company	446	McKinleyville Chevron	Low	0.45	0.31	0.01	GDF Retail	Exempt
Phil Eldridge	723	Miranda Market	Low	0.30	0.31	0.01	GDF Retail	Exempt
Jackson Food Stores, Inc.	658	Redwood Market #279	Low	0.80	0.49	0.02	GDF Retail	Exempt
Redwood Petroleum Inc.	698	Northcrest Patriot	Low	0.52	0.49	0.01	GDF Retail	Exempt
Martha McLaughlin	789	Orleans Patriot	Low	0.21	0.93	0.01	GDF Retail	Exempt
Balwinder Singh (dba United Gas)	624	Patriot Gasoline (Myrtle Avenue, Eureka)	Low	0.88	0.49	0.02	GDF Retail	Exempt
Renner Petroleum	701	Renner Arcata Cardlock	Intermediate	1.46	0.49	0.04	GDF Retail	To CTR Schedule
Renner Petroleum	650	Renner Eureka East Cardlock	Intermediate	1.90	0.49	0.05	GDF Retail	To CTR Schedule
Renner Petroleum	717	Renner Eureka North Cardlock	Intermediate	1.44	0.49	0.04	GDF Retail	To CTR Schedule
Renner Petroleum	694	Renner Eureka South Cardlock	Intermediate	1.39	0.49	0.04	GDF Retail	To CTR Schedule
Renner Petroleum	679	Renner Fernbridge Cardlock	Low	0.46	0.31	0.01	GDF Retail	Exempt
Renner Petroleum	745	Renner Fortuna East Cardlock	Intermediate	1.43	0.49	0.04	GDF Retail	To CTR Schedule
Renner Petroleum	696	Renner Garberville Cardlock	Low	0.38	0.31	0.01	GDF Retail	Exempt
Renner Petroleum	730	Renner Klamath Cardlock	Low	0.53	0.49	0.01	GDF Retail	Exempt
C. Renner Petroleum	767	Renner Patriot CFN	Intermediate	4.61	1.02	0.12	GDF Retail	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Renner Petroleum	444	Renner Scotia Cardlock	Low	0.48	0.31	0.01	GDF Retail	Exempt
C Renner, Inc	747	RNS Fuels	Intermediate	1.85	0.49	0.05	GDF Retail	To CTR Schedule
B.B. Heer Inc.	661	Rohnerville Chevron	Low	0.45	0.49	0.01	GDF Retail	Exempt
Yurok Economic Development Corporation	785	Shoreline Market	Low	0.15	0.93	0.00	GDF Retail	Exempt
MP Broadway Inc.	646	MD Gas #10	Low	0.59	0.49	0.02	GDF Retail	Exempt
Jackson Food Stores Inc.	721	Redwood Market #276	Intermediate	1.72	0.93	0.04	GDF Retail	To CTR Schedule
Franklin's Service Inc.	644	Valley West Chevron	Low	0.67	0.33	0.02	GDF Retail	Exempt
MP Giuntoli Inc.	647	MD Gas #12	Low	0.62	0.49	0.02	GDF Retail	Exempt
Jackson Food Stores Inc.	718	Redwood Market #282	Low	0.38	0.31	0.01	GDF Retail	Exempt
CH Fuel Inc.	620	Weaverville Gas Mart	Low	0.33	0.49	0.01	GDF Retail	Exempt
CH Fuel Inc.	514	Weaverville Market	Low	0.28	0.24	0.01	GDF Retail	Exempt
L & M Renner, Inc.	770	Willow Creek Cardlock	Low	0.73	0.49	0.02	GDF Retail	Exempt
Redwood Oil Company	693	Willow Creek Chevron	Intermediate	1.25	0.93	0.03	GDF Retail	To CTR Schedule
Ahmad Corporation	703	Willow Creek Patriot (Speedex)	Low	0.66	0.93	0.02	GDF Retail	Exempt

### Internal Combustion Engines

Company Name	FACID	Facility Name	Update Category	Cancer Score	Acute Score	Chronic Score	Source Type	Status
St. Joseph Health Northern California, LLC	1011	Humboldt Central Laboratory	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
T-Mobile West LLC	1029	T-Mobile - Ferndale	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Verizon Wireless	1023	Verizon Wireless - Myrtle town	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Smith River Community Services District	1030	Smith River CSD - Pump House	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Trinity County Sheriff's Office	1032	Trinity County Sheriff's Office Jail	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Open Door Community Health Centers	1045	Arcata Community Health Center	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
FedEx Freight, Inc.	1047	FexEx Freight, Inc. (Arcata)	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
City of Eureka	401	Hill Street Sewer Lift Station	Intermediate	6.80	0.00	0.01	Emergency ICE	To CTR Schedule
City of Eureka	402	McCullens Street Lift Station	Intermediate	6.41	0.00	0.01	Emergency ICE	To CTR Schedule
City of Eureka	403	Washington Street Lift Station	Intermediate	10.45	0.00	0.02	Emergency ICE	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

City of Eureka	405	Lundbar Hills Water Pumps	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
County of Humboldt - Dept of Public Works	406	Clark Complex	Intermediate	3.01	0.00	0.00	Emergency ICE	To CTR Schedule
County of Humboldt - Dept of Public Works	407	Library	Intermediate	2.32	0.00	0.00	Emergency ICE	To CTR Schedule
County of Humboldt Probation Department	408	Juvenile Hall	Low	0.57	0.00	0.00	Emergency ICE	Exempt
County of Humboldt - Dept of Public Works	408	Regional/Juvenile Hall	Intermediate	0.57	0.00	0.00	Emergency ICE	To CTR Schedule
County of Humboldt - Dept of Public Works	409	Courthouse	Intermediate	33.97	0.00	0.05	Emergency ICE	To CTR Schedule
Del Norte County Unified School District	410	Del Norte High School	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Del Norte County Unified School District	411	Administration Building	Low	0.25	0.00	0.00	Emergency ICE	Exempt
CALTRANS	413	Caltrans District 1 Headquarters	Intermediate	3.66	0.00	0.01	Emergency ICE	To CTR Schedule
McKinleyville Community Services District (MCSD)	414	Grant A. Ramey Pump Station	Low	0.27	0.00	0.00	Emergency ICE	Exempt
Verizon Wireless	415	Verizon Wireless - Pepperwood	Intermediate	3.18	0.00	0.00	Emergency ICE	To CTR Schedule
Mountain Communities Healthcare District	416	Trinity Hospital	Intermediate	5.72	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Power	420	Various Pacific Power facilities	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
US Cellular	421	Eureka MTSO	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
California Dept. of Fish and Game	423	Mad River Hatchery	Intermediate	1.95	0.00	0.00	Emergency ICE	To CTR Schedule
County of Del Norte - Dept. of Health and Human Services	424	Del Norte HHS office	Low	0.48	0.00	0.00	Emergency ICE	Exempt
City of Ferndale	425	Wastewater Treatment Plant	Intermediate	2.56	0.00	0.00	Emergency ICE	To CTR Schedule
Judicial Council of California	426	Del Norte County Superior Co	Intermediate	1.16	0.00	0.00	Emergency ICE	To CTR Schedule
City of Arcata	427	Arcata City Hall	Low	0.09	0.00	0.00	Emergency ICE	Exempt
City of Arcata	428	Alder Grove Pump Station	Intermediate	2.49	0.00	0.00	Emergency ICE	To CTR Schedule
City of Arcata	429	Courtyard	Low	0.46	0.00	0.00	Emergency ICE	Exempt
City of Arcata	430	Corporation Yard - Central Garage	Low	0.44	0.00	0.00	Emergency ICE	Exempt
City of Arcata	431	ES Wastewater Treatment Plant	Intermediate	11.12	0.00	0.02	Emergency ICE	To CTR Schedule
City of Arcata	431	ES Wastewater Treatment Plant	Intermediate	11.12	0.00	0.02	Emergency ICE	To CTR Schedule
City of Arcata	431	ES Wastewater Treatment Plant	Intermediate	11.12	0.00	0.02	Emergency ICE	To CTR Schedule
City of Arcata	432	Community Center	Intermediate	2.69	0.00	0.00	Emergency ICE	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

City of Arcata	434	Samoa Lift Station	Intermediate	6.00	0.00	0.01	Emergency ICE	To CTR Schedule
Walmart Stores, Inc.	436	Walmart Superstore #1910	Intermediate	4.76	0.00	0.01	Emergency ICE	To CTR Schedule
County of Humboldt - Dept of Aviation	437	Eureka/Arcata Airport	Intermediate	5.00	0.00	0.01	Emergency ICE	To CTR Schedule
Altice USA	439	Altice USA Eureka	Intermediate	1.98	0.00	0.00	Emergency ICE	To CTR Schedule
Walmart Stores, Inc.	449	Walmart Store #5629	Intermediate	3.34	0.00	0.00	Emergency ICE	To CTR Schedule
CALTRANS	451	Weaverville Maintenance Station (MS)	Low	0.45	0.00	0.00	Emergency ICE	Exempt
Verizon Wireless	453	Humboldt Hill / Fields Landing	Low	0.07	0.00	0.00	Emergency ICE	Exempt
Sutter Coast Hospital	454	Sutter Coast Hospital	Intermediate	6.21	0.00	0.01	Emergency ICE	To CTR Schedule
CALTRANS	455	Hayfork Maintenance Station	Low	0.26	0.00	0.00	Emergency ICE	Exempt
Verizon Wireless	456	Verizon Wireless - Harrison Hospital	Intermediate	4.69	0.00	0.01	Emergency ICE	To CTR Schedule
Mad River Community Hospital	457	Birth Center	Intermediate	20.10	0.00	0.03	Emergency ICE	To CTR Schedule
City of Eureka	458	Martin Slough Pump Station	Low	0.64	0.00	0.00	Emergency ICE	Exempt
CALTRANS	459	Bracut Maintenance Station (MS)	Low	0.35	0.00	0.00	Emergency ICE	Exempt
Cypress Grove Chevre	460	Cypress Grove Chevre Dairy	Intermediate	1.10	0.00	0.00	Emergency ICE	To CTR Schedule
Humboldt Bay MWD	461	Ruth Lake Facility	Intermediate	1.42	0.00	0.00	Emergency ICE	To CTR Schedule
CALFIRE	462	Trinity River Camp	Intermediate	3.09	0.00	0.00	Emergency ICE	To CTR Schedule
Humboldt Community Services District	463	South Broadway Wastewater Pump Station	Intermediate	1.56	0.00	0.00	Emergency ICE	To CTR Schedule
Humboldt Community Services District	464	Hoover Wastewater Pump Station	Low	0.37	0.00	0.00	Emergency ICE	Exempt
Fieldbrook Glendale Community District Services (CSD)	466	FGCSD Lift Station #1	Low	0.67	0.00	0.00	Emergency ICE	Exempt
County of Del Norte - CSA	469	Northcrest Lift Station	Low	0.05	0.00	0.00	Emergency ICE	Exempt
New Cingular Wireless PCS, LLC dba AT&T Mobility	470	AT&T Mobility - Weott	Intermediate	1.40	0.00	0.00	Emergency ICE	To CTR Schedule
City of Eureka	473	Elk River Waste Water Treatment Plant (WWTP)	Intermediate	1.01	0.00	0.00	Emergency ICE	To CTR Schedule
CALFIRE	474	Weaverville FFS	Low	0.24	0.00	0.00	Emergency ICE	Exempt
County of Del Norte - OES	476	Cal-Ore Life Flight	Low	0.00	0.00	0.00	Emergency ICE	Exempt
New Cingular Wireless PCS, LLC dba AT&T Mobility	478	AT&T Mobility - Bayside	Intermediate	1.68	0.00	0.00	Emergency ICE	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

New Cingular Wireless PCS, LLC dba AT&T Mobility	479	AT&T Mobility - Pelican Bay	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
City of Fortuna	481	Home Avenue Pump Station	Low	0.23	0.00	0.00	Emergency ICE	Exempt
City of Arcata	482	Alliance Water Transfer Station	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
City of Arcata	482	Alliance Water Transfer Station	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Verizon Wireless	488	Verizon Wireless - Hilfiker	Low	0.59	0.00	0.00	Emergency ICE	Exempt
Border Coast Regional Airport Authority	489	Del Norte County Regional Airport	Intermediate	2.07	0.00	0.00	Emergency ICE	To CTR Schedule
Verizon Wireless	490	Redwood and Washington	Intermediate	1.22	0.00	0.00	Emergency ICE	To CTR Schedule
Hospice of Humboldt	491	Hospice of Humboldt	Low	0.71	0.00	0.00	Emergency ICE	Exempt
Open Door Community Health Centers	496	Eureka Community Health Center	Low	0.07	0.00	0.00	Emergency ICE	Exempt
Frontier Communications Corp.	497	Smith River Central Office	Low	0.37	0.00	0.00	Emergency ICE	Exempt
City of Eureka	498	Hilfker Lift Station	Low	0.55	0.00	0.00	Emergency ICE	Exempt
Lewiston Community Services District	499	Raw Water Pump Station	Low	0.03	0.00	0.00	Emergency ICE	Exempt
Lewiston Community Services District	500	Water Treatment Plant	Low	0.05	0.00	0.00	Emergency ICE	Exempt
Level 3 Communications dba Lumen	501	Lumen - Wildwood	Intermediate	8.91	0.00	0.01	Emergency ICE	To CTR Schedule
Level 3 Communications dba Lumen	502	Lumen - Mad River	Intermediate	1.08	0.00	0.00	Emergency ICE	To CTR Schedule
McKinleyville Community Services District (MCSD)	504	Wastewater Management Facility	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Seaview Rehabilitation & Wellness Center	505	Seaview Rehabilitation & Wellness Center	Low	0.13	0.00	0.00	Emergency ICE	Exempt
Frontier California, Inc.	507	Weaverville Central Office	Low	0.03	0.00	0.00	Emergency ICE	Exempt
Danielson Construction, Inc.	509	Danielson Construction	In Progress	In Progress	In Progress	In Progress	Construction	TEIR Due
City of Eureka - Community Services Department	510	Sequoia Park Zoo	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Open Door Community Health Centers	511	Fortuna Community Health Center	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
St. Joseph Health Northern California, LLC	523	Providence St. Joseph Hospital - General Hospital Campus	Intermediate	5.09	0.00	0.01	Emergency ICE	To CTR Schedule
St. Joseph Health Northern California, LLC	566	Providence Redwood Memorial Hospital	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required
St. Joseph Health Northern California, LLC	575	Providence St. Joseph Hospital	Intermediate	22.62	0.00	0.03	Emergency ICE	To CTR Schedule
Humboldt Bay MWD	777	Essex Pumping & Control Center	Intermediate	11.55	0.00	0.02	Emergency ICE	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Charter Spectrum Cable Television	780	Charter Spectrum Crescent City Office	Intermediate	1.00	0.00	0.00	Emergency ICE	To CTR Schedule
Redwood Empire Public Television (KEET)	802	KEET-TV Transmitter site	Low	0.62	0.00	0.00	Emergency ICE	Exempt
Pacific Bell (dba AT&T)	804	AT&T - Eureka	Intermediate	9.40	0.00	0.01	Emergency ICE	To CTR Schedule
Humboldt State University	806	Theatre Arts Building #010	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required
USCG Station Humboldt Bay	817	USCG Station Humboldt Bay	Low	0.31	0.00	0.00	Emergency ICE	Exempt
Pacific Gas & Electric Company (PG&E)	829	PG&E Willow Creek Service Center	Intermediate	22.64	0.00	0.03	Emergency ICE	To CTR Schedule
City of Fortuna	860	Fortuna City Yards	Intermediate	1.15	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	860	Fortuna City Yards	Intermediate	1.15	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	860	Fortuna City Yards	Intermediate	1.15	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	860	Fortuna City Yards	Intermediate	1.15	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	860	Wastewater Treatment Plant	Intermediate	1.15	0.00	0.00	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	867	AT&T - Arcata	Intermediate	6.34	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	868	AT&T - Blue Lake	Intermediate	1.31	0.00	0.00	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	869	AT&T - Bridgeville	Intermediate	5.32	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	870	AT&T - Fortuna	Intermediate	2.37	0.00	0.00	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	871	AT&T - Garberville	Intermediate	6.07	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	872	AT&T - Hydesville	Intermediate	5.62	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	873	AT&T - Pepperwood	Intermediate	9.76	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	874	AT&T - Rio Dell	Intermediate	5.91	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	875	AT&T - Scotia	Intermediate	5.80	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	876	AT&T - Trinidad	Intermediate	11.76	0.00	0.02	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	877	AT&T - Weott	Intermediate	2.46	0.00	0.00	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	879	AT&T - Miranda	Intermediate	13.74	0.00	0.02	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	880	AT&T - McKinleyville	Intermediate	3.75	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	881	AT&T - Loleta	Intermediate	7.89	0.00	0.01	Emergency ICE	To CTR Schedule
Pacific Bell (dba AT&T)	883	AT&T - Lewiston	Intermediate	5.39	0.00	0.01	Emergency ICE	To CTR Schedule
Home Depot USA Inc.	884	Home Depot, store #8524	Low	0.42	0.00	0.00	Emergency ICE	Exempt
Kohl's Corporation	885	Kohl's Store	Low	0.20	0.00	0.00	Emergency ICE	Exempt
Fresenius Medical Care NA	886	Fresenius Medical Care - Eureka	Intermediate	3.60	0.00	0.01	Emergency ICE	To CTR Schedule

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

USCG Group Humboldt Bay	887	McKinleyville facility	Intermediate	1.22	0.00	0.00	Emergency ICE	To CTR Schedule
Fresenius Medical Care NA	888	Fresenius Medical Care - McKinleyville	Intermediate	4.63	0.00	0.01	Emergency ICE	To CTR Schedule
Federal Aviation Administration (FAA)	890	FAA Transmitter Arcata - Eureka/Arcata Airport RCAG	Intermediate	10.35	0.00	0.02	Emergency ICE	To CTR Schedule
Federal Aviation Administration (FAA)	894	FAA Transmitter QZZ ARSR-4 , SX	Intermediate	23.46	0.00	0.03	Emergency ICE	To CTR Schedule
City of Eureka	897	Central Water & Communications Bldg	Low	0.44	0.00	0.00	Emergency ICE	Exempt
Lost Coast Communications (KHUM)	903	Bunker Hill Ranch Transmission site	Intermediate	1.57	0.00	0.00	Emergency ICE	To CTR Schedule
United Compost & Organics, Inc. (Fox Farm)	905	Fox Farm Soil & Fertilizer facility	In Progress	In Progress	In Progress	In Progress	Composting/Soil	TEIR Due
Humboldt Bay MWD	910	Korblex Turbidity Reduction Facility	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Redwood Empire Public Television (KEET)	912	KEET-TV Studio	Intermediate	4.81	0.00	0.01	Emergency ICE	To CTR Schedule
Humboldt Community Services District	913	Edgewood Wastewater Pump Station	Low	0.15	0.00	0.00	Emergency ICE	Exempt
Frontier Communications Corp.	914	Crescent City Central Office	Intermediate	12.91	0.00	0.02	Emergency ICE	To CTR Schedule
Frontier Communications Corp.	915	Hiouchi Central Office	Intermediate	2.46	0.00	0.00	Emergency ICE	To CTR Schedule
Frontier Communications Corp.	916	Gasquet Central Office	Intermediate	1.87	0.00	0.00	Emergency ICE	To CTR Schedule
Frontier Communications Corp.	917	Requa Microwave (Z-33)	Intermediate	11.53	0.00	0.02	Emergency ICE	To CTR Schedule
AT&T Corp	920	AT&T Remote Communication Bldg	Intermediate	2.13	0.00	0.00	Emergency ICE	To CTR Schedule
AT&T Corp	920	AT&T Remote Communication Bldg	Intermediate	2.13	0.00	0.00	Emergency ICE	To CTR Schedule
AT&T Corp	921	AT&T Remote Communication Bldg	Low	0.59	0.00	0.00	Emergency ICE	Exempt
City of Crescent City	923	Waste Water Treatment Plant (WWTP)	Intermediate	3.97	0.00	0.01	Emergency ICE	To CTR Schedule
City of Crescent City	923	Wastewater Treatment Plant (WWTP)	Intermediate	3.97	0.00	0.01	Emergency ICE	To CTR Schedule
Verizon Wireless	924	Verizon Wireless - Phillippsville	Intermediate	3.89	0.00	0.01	Emergency ICE	To CTR Schedule
Verizon Wireless	925	Verizon Wireless - Myers Flat	Intermediate	2.07	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	928	Strongs Creek Pump Station	Low	0.31	0.00	0.00	Emergency ICE	Exempt
City of Fortuna	929	Seneca Pump Station	Low	0.67	0.00	0.00	Emergency ICE	Exempt
City of Fortuna	930	Drake Hill Pump Station	Intermediate	1.38	0.00	0.00	Emergency ICE	To CTR Schedule
City of Fortuna	931	Corrosion Control Facility (CCF)	Low	0.05	0.00	0.00	Emergency ICE	Exempt

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Benbow Inn Resort & Hotel	933	Benbow Inn	Intermediate	4.90	0.00	0.01	Emergency ICE	To CTR Schedule
Verizon Wireless	934	Verizon Wireless - Holmes	Intermediate	3.79	0.00	0.01	Emergency ICE	To CTR Schedule
Verizon Wireless	941	Verizon Wireless - Henderson	Intermediate	1.07	0.00	0.00	Emergency ICE	To CTR Schedule
Verizon Wireless	942	Verizon Wireless - McKinleyville MCSD	Low	0.91	0.00	0.00	Emergency ICE	Exempt
Verizon Wireless	943	Verizon Wireless - Baywood	Low	0.39	0.00	0.00	Emergency ICE	Exempt
City of Eureka	946	Water Treatment Plant	Intermediate	1.77	0.00	0.00	Emergency ICE	To CTR Schedule
St. Joseph Health Northern California, LLC	947	Providence St. Joseph Hospital - Surgery Center	Intermediate	9.86	0.00	0.01	Emergency ICE	To CTR Schedule
Verizon Wireless	948	Verizon Wireless - Fickle Hill	Intermediate	15.05	0.00	0.02	Emergency ICE	To CTR Schedule
Verizon Wireless	950	Verizon Wireless - Pratt Mountain	Intermediate	6.38	0.00	0.01	Emergency ICE	To CTR Schedule
National Weather Service (NOAA)	951	NOAA Weather Forecast Office	Intermediate	20.01	0.00	0.03	Emergency ICE	To CTR Schedule
National Weather Service (NOAA)	952	Bunker Hill Radar (WSR-88D)	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
CALFIRE	953	Eel River Camp	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
CALFIRE	954	High Rock Camp	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
CALFIRE	955	CAL FIRE Headquarters	Intermediate	2.20	0.00	0.00	Emergency ICE	To CTR Schedule
CALFIRE	956	CAL FIRE Rohnerville Air Attack Base	Intermediate	1.45	0.00	0.00	Emergency ICE	To CTR Schedule
Shelter Cove Resort Improvement District (RID)	960	Shelter Cove Substation/power plant	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Shelter Cove Resort Improvement District (RID)	960	Shelter Cove Substation/power plant	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Shelter Cove Resort Improvement District (RID)	961	Waste Water Treatment Plant storage/shed	Intermediate	1.66	0.00	0.00	Emergency ICE	To CTR Schedule
Shelter Cove Resort Improvement District (RID)	962	Waste Water Treatment Plant storage/shed	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required
Shelter Cove Resort Improvement District (RID)	962	Waste Water Treatment Plant storage/shed	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required
Shelter Cove Resort Improvement District (RID)	962	Waste Water Treatment Plant storage/shed	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required
Loleta Community Services District	967	Loleta CSD WWTP	Low	0.24	0.00	0.00	Emergency ICE	Exempt

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Johns Used Cars & Wreckers	968	Johns Auto Dismantling	Intermediate	1.24	0.00	0.00	Prime ICE	To CTR Schedule
Eel River Transportation and Salvage	971	Eel River Transportation and Salvage	In Progress	In Progress	In Progress	In Progress	Prime ICE	TEIR Under Review
Verizon Wireless	972	Verizon Wireless - Crescent City	Intermediate	1.86	0.00	0.00	Emergency ICE	To CTR Schedule
SN Servicing Corp	974	SN Servicing Corp	Intermediate	1.18	0.00	0.00	Emergency ICE	To CTR Schedule
Sugar Bowl LLC	975	Sugar Bowl Ranch	Intermediate	17.25	0.00	0.03	Emergency ICE	To CTR Schedule
Willow Creek Community Service District (WCCSD)	976	Willow Creek CSD Water Treatment Facility	Intermediate	2.71	0.00	0.00	Emergency ICE	To CTR Schedule
Humboldt Transit Authority (HTA)	978	HTA Facility	Intermediate	1.95	0.00	0.00	Emergency ICE	To CTR Schedule
Redway Community Services District	981	Water Treatment Plant	Intermediate	2.32	0.00	0.00	Emergency ICE	To CTR Schedule
Redway Community Services District	982	Dogwood Lift/Pumping Station	Low	0.16	0.00	0.00	Emergency ICE	Exempt
City of Crescent City	985	Washington Pump Station	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
City of Crescent City	986	Elk Valley Lift Station/BOVCSD Pump Station	Intermediate	3.82	0.00	0.01	Emergency ICE	To CTR Schedule
City of Crescent City	987	Amador Water Storage Tank	Intermediate	12.12	0.00	0.02	Emergency ICE	To CTR Schedule
City of Crescent City	988	Ranney Collector	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
County of Del Norte - CSA	989	City of Crescent City Maintenance Yard	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Klamath Glen Flood Control District (Del Norte County)	990	Klamath Glen Levee	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
McKinleyville Community Services District (MCSD)	993	Letz Avenue Sewer Lift Station	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
McKinleyville Community Services District (MCSD)	994	Fischer Road Sewer Lift Station	Intermediate	7.33	0.00	0.01	Emergency ICE	To CTR Schedule
City of Eureka	996	Eureka Fire Department HQ/Station 1	Intermediate	20.11	0.00	0.03	Emergency ICE	To CTR Schedule
City of Eureka	996	Eureka Fire Department HQ/Station 1	Intermediate	20.11	0.00	0.03	Emergency ICE	To CTR Schedule
City of Eureka	997	City of Eureka Corporate Yard & Public Works	Intermediate	7.10	0.00	0.01	Construction	To CTR Schedule
College of the Redwoods	998	Campus Wide	Low	0.95	0.00	0.00	Emergency ICE	Exempt
City of Rio Dell	1001	Rio Dell Wastewater Treatment Facility	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
City of Eureka	1002	3rd & Y Lift Station	Low	0.23	0.00	0.00	Emergency ICE	Exempt
Del Norte County Unified School District	1005	Smith River Elementary School	Low	0.03	0.00	0.00	Emergency ICE	Exempt
California Highway Patrol	1009	California Highway Patrol - Crescent City	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review

## District AB 2588 “Hot Spots” Annual Report Facility Status – October 2025

Pacific Bell (dba AT&T)	1010	AT&T - Hoadley Peaks	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Under Review
Burnt Ranch Elementary School District	1011	Burnt Ranch Elementary School District	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Dept of Interior/National Park Service/Pacific West Region/Redwood National Park	1012	North Operations Center	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Del Norte County Unified School District	1015	Margaret Keating Elementary School	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Redwood Coast Trucking	1016	Redwood Coast Trucking	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Arcata Scrap & Salvage, Inc.	1017	Arcata Scrap & Salvage, Inc	In Progress	In Progress	In Progress	In Progress	Prime ICE	TEIR Under Review
Salvation Army Eureka Residences, Inc	1019	Salvation Army Eureka Residences	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Edge Connex Arcata Holdings, LLC	1021	Edge Connex - Arcata	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Due
Peninsula Community Services District	1022	Samoa Wastewater Treatment Plant	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
T-Mobile West LLC	1025	T-Mobile - Fields Landing	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Church of Spiritual Technology	1027	Sunset View Ranch	Low	0.00	0.00	0.00	Emergency ICE	Exempt
US Cellular	1034	Fortuna South (#568460)	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Redwoods Rural Health Center	1035	Redwoods Rural Health Center	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
CALTRANS	1036	Collier Tunnel	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Trinity County Solid Waste	1037	Weaverville Landfill	In Progress	In Progress	In Progress	In Progress	Emergency ICE	
T-Mobile West LLC	1040	PWM-Kneeland	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Campton Heights Market	1048	Campton Heights Market	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Mr. Green LLC	1049	Mr. Green LLC	In Progress	In Progress	In Progress	In Progress	Prime ICE	Exempt
T-Mobile West LLC	1055	Pratt Mountain	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Trinity County	1056	Trinity County Probation Department	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Lost Coast Brewery	1059	Lost Coast Brewery (Sunset Drive Facility)	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIR Under Review
Garberville Sanitary District	1065	Mobile Device	In Progress	In Progress	In Progress	In Progress	Emergency ICE	TEIP Required